

Příloha č.4.**Pažnicová listina ÚK 9 5/8" na vrtu Dunajovice 59**

Pořadové číslo pažnice	Materiál	Síla stěny(mm)	Délka pažnice (m)	Délka kolony (m)	Hloubka (m)	Fonary typ
Pata			0,58	0,58	306,67	
1.	J-55	8,94	11,87	12,45	306,09	STA1
Zpětný ventil			0,58	13,03	294,22	
2.	J-55	8,94	12,24	25,27	293,64	STA1
3.	J-55	8,94	11,90	37,17	281,40	STA1
4.	J-55	8,94	12,14	49,31	269,50	STA1
5.	J-55	8,94	12,35	61,66	257,36	STA1
6.	J-55	8,94	12,20	73,86	245,01	STA1
7.	J-55	8,94	12,08	85,94	232,81	STA1
8.	J-55	8,94	12,17	98,11	220,73	STA1
9.	J-55	8,94	12,31	110,42	208,56	STA1
10.	J-55	8,94	12,20	122,62	196,25	STA1
11.	J-55	8,94	11,90	134,52	184,05	STA1
12.	J-55	8,94	12,09	146,61	172,15	STA1
13.	J-55	8,94	11,82	158,43	160,06	STA1
14.	J-55	8,94	12,28	170,71	148,24	STA1
15.	J-55	8,94	12,19	182,90	135,96	STA1
16.	J-55	8,94	12,18	195,08	123,77	STA1
17.	J-55	8,94	12,38	207,46	111,59	
18.	J-55	8,94	12,25	219,71	99,21	STA1
19.	J-55	8,94	12,18	231,89	86,96	
20.	J-55	8,94	12,34	244,23	74,78	STA1
21.	J-55	8,94	12,22	256,45	62,44	
22.	J-55	8,94	12,28	268,73	50,22	
23.	J-55	8,94	12,34	281,07	37,94	
24.	J-55	8,94	12,32	293,39	25,60	STA1
25.	J-55	8,94	12,29	305,68	13,28	STA1
			305,68			
Manipulák	plus		5,39	311,07		
Elevátor 95/8"	mínus		-0,27	310,8		
Objímka API	mínus		-0,33	310,47		
Sklep soupravy DIR	mínus		-3,8	306,67		
Hloubka paty U.K.			306,67	306,67		

Vrt Dunajovice 59

6.4.2001

Sestavil: ing. Kovács G.

Pažnicová listina těžební kolony 7" Dunajovice 59

Pořadové číslo	Materiál	Síla stěny	Závít	Délka m	Délka celkem m	Hloubka m	Fonary
Pata	J-55		API dl.	0,550	0,550	1129,290	
Perf.pažnice	J-55	9,19	API dl.	7,180	7,730	1128,740	STA1
Perf.pažnice	J-55	9,19	API dl.	12,510	20,240	1121,560	STA1
Cem.basket				0,000	20,240	1109,050	
Vsuvka	J-55		API dl.	0,590	20,830	1109,050	STA1
Spodek pakru			API dl.	1,300	22,130	1108,460	
Vršek pakru			API dl.	1,680	23,810	1107,160	
Přechod.paž.	J-55	9,19	Č API x M HSC	5,850	29,660	1105,480	STA1
1	J-55	9,19	HSC	12,480	42,140	1099,630	STA1
2	J-55	9,19	HSC	12,240	54,380	1087,150	STA1
3	J-55	9,19	HSC	12,360	66,740	1074,910	STA1
4	J-55	9,19	HSC	12,385	79,125	1062,550	STA1
5	J-55	9,19	HSC	11,790	90,915	1050,165	STA2
6	J-55	9,19	HSC	12,340	103,255	1038,375	STA2
7	J-55	9,19	HSC	12,470	115,725	1026,035	
8	J-55	9,19	HSC	12,460	128,185	1013,565	STA2
9	J-55	9,19	HSC	12,450	140,635	1001,105	STA2
10	J-55	9,19	HSC	12,425	153,060	988,655	
11	J-55	9,19	HSC	12,385	165,445	976,230	STA1
12	J-55	9,19	HSC	12,395	177,840	963,845	STA2
13	J-55	9,19	HSC	11,020	188,860	951,450	
14	J-55	9,19	HSC	11,510	200,370	940,430	STA2
15	J-55	9,19	HSC	12,325	212,695	928,920	STA1
16	J-55	9,19	HSC	12,495	225,190	916,595	
17	J-55	9,19	HSC	12,575	237,765	904,100	STA1
18	J-55	9,19	HSC	12,480	250,245	891,525	STA2
19	J-55	9,19	HSC	12,495	262,740	879,045	
20	J-55	9,19	HSC	12,230	274,970	866,550	STA1
21	J-55	9,19	HSC	12,585	287,555	854,320	STA1
22	J-55	9,19	HSC	12,535	300,090	841,735	
23	J-55	9,19	HSC	12,615	312,705	829,200	STA1
24	J-55	9,19	HSC	12,495	325,200	816,585	STA1
25	J-55	9,19	HSC	12,505	337,705	804,090	
26	J-55	9,19	HSC	12,485	350,190	791,585	STA1
27	J-55	9,19	HSC	12,590	362,780	779,100	STA1
28	J-55	9,19	HSC	12,240	375,020	766,510	
29	J-55	9,19	HSC	12,630	387,650	754,270	STA1
30	J-55	9,19	HSC	12,190	399,840	741,640	STA1
31	J-55	9,19	HSC	12,400	412,240	729,450	
32	J-55	9,19	HSC	12,090	424,330	717,050	STA1
33	J-55	9,19	HSC	12,570	436,900	704,960	STA1
34	J-55	9,19	HSC	12,580	449,480	692,390	
35	J-55	9,19	HSC	12,540	462,020	679,810	STA1
36	J-55	9,19	HSC	12,265	474,285	667,270	STA1
37	J-55	9,19	HSC	12,435	486,720	655,005	
38	J-55	9,19	HSC	12,490	499,210	642,570	STA1
39	J-55	9,19	HSC	12,235	511,445	630,080	STA2
40	J-55	9,19	HSC	12,165	523,610	617,845	
41	J-55	9,19	HSC	12,030	535,640	605,680	STA1
42	J-55	9,19	HSC	12,525	548,165	593,650	STA2
43	J-55	9,19	HSC	12,600	560,765	581,125	
44	J-55	9,19	HSC	12,510	573,275	568,525	STA1

Pořadové číslo	Materiál	Síla stěny	Závit	Délka m	Délka celkem	Hloubka m	Fonary
45	J-55	9,19	HSC	12,515	585,790	556,015	STA2
46	J-55	9,19	HSC	12,295	598,085	543,500	
47	J-55	9,19	HSC	12,035	610,120	531,205	STA1
48	J-55	9,19	HSC	12,160	622,280	519,170	STA2
49	J-55	9,19	HSC	12,170	634,450	507,010	STA1
50	J-55	9,19	HSC	12,490	646,940	494,840	
51	J-55	9,19	HSC	12,490	659,430	482,350	STA2
52	J-55	9,19	HSC	12,490	671,920	469,860	STA1
53	J-55	9,19	HSC	12,525	684,445	457,370	STA2
54	J-55	9,19	HSC	11,960	696,405	444,845	
55	J-55	9,19	HSC	12,500	708,905	432,885	STA1
56	J-55	9,19	HSC	12,440	721,345	420,385	STA2
57	J-55	9,19	HSC	12,160	733,505	407,945	STA1
58	J-55	9,19	HSC	12,630	746,135	395,785	
59	J-55	9,19	HSC	12,410	758,545	383,155	STA1
60	J-55	9,19	HSC	12,355	770,900	370,745	STA1
61	J-55	9,19	HSC	12,315	783,215	358,390	STA2
62	J-55	9,19	HSC	12,300	795,515	346,075	
63	J-55	9,19	HSC	10,755	806,270	333,775	STA2
64	J-55	9,19	HSC	12,480	818,750	323,020	STA2
65	J-55	9,19	HSC	11,540	830,290	310,540	STA2
66	J-55	9,19	HSC	12,370	842,660	299,000	
67	J-55	9,19	HSC	11,190	853,850	286,630	PO2
68	J-55	9,19	HSC	12,470	866,320	275,440	PO2
69	J-55	9,19	HSC	12,420	878,740	262,970	PO2
70	J-55	9,19	HSC	11,170	889,910	250,550	PO2
71	J-55	9,19	HSC	12,210	902,120	239,380	PO2
72	J-55	9,19	HSC	12,420	914,540	227,170	PO2
73	J-55	9,19	HSC	11,950	926,490	214,750	PO2
74	J-55	9,19	HSC	12,120	938,610	202,800	PO2
75	J-55	9,19	HSC	12,340	950,950	190,680	
76	J-55	9,19	HSC	12,310	963,260	178,340	PO2
77	J-55	9,19	HSC	12,495	975,755	166,030	PO2
78	J-55	9,19	HSC	12,260	988,015	153,535	PO2
79	J-55	9,19	HSC	11,080	999,095	141,275	PO2
80	J-55	9,19	HSC	12,360	1011,455	130,195	
81	J-55	9,19	HSC	12,495	1023,950	117,835	PO2
82	J-55	9,19	HSC	12,515	1036,465	105,340	PO2
83	J-55	9,19	HSC	12,490	1048,955	92,825	PO2
84	J-55	9,19	HSC	12,345	1061,300	80,335	STA2
85	J-55	9,19	HSC	12,370	1073,670	67,990	
86	J-55	9,19	HSC	12,270	1085,940	55,620	STA2
87	J-55	9,19	HSC	11,860	1097,800	43,350	
88	J-55	9,19	HSC	11,975	1109,775	31,490	
89	J-55	9,19	HSC	11,955	1121,730	19,515	STA1
90	J-55	9,19	HSC	11,990	1133,720	7,560	STA1
Celkem délka pažnic				1133,720			
ELEVATOR		(mínus)		0,310			
OBJÍMKÁ API dl		(mínus)		0,220			
Matky		(mínus)		0,100			
SKLEP		(mínus)		3,800		4,430	
Hloubka paty TĚK :				1129,290		12,270	