

Stupačková listina 4 1/2 " Dunajovice - 6

Pořadové číslo stupačky	Typ závitu, materiál	Síla stěny	Délka stup	Délka kolony	Hloubka kolony
Naváděcí obj. 93/55 -M 2 7/8"	UP TBG	0,19	0,19	1 027,35	
Krátká stup. 2 7/8" ČxČ J-55	UP TBGxTBG	5,51	0,95	1,14	1 027,16
Přechod MXM 2 7/8"	UP TBGxTBG		0,17	1,31	1 026,21
Usaz. vsuv. -X- 2 7/8" ČxM	UP TBGxNV		0,31	1,62	1 026,04
Pakr 6 5/8" Č x M 2 7/8" ETI A-3	NEW VAM		1,27	2,89	1 025,73
Přechod 2 7/8" ČxM 3 1/2"	VAGT		0,57	3,46	1 024,46
Stupačka 3 1/2"	VAGT	9,2lbs/ft	5,01	8,47	1 023,89
Propl. obj. Č x M 3 1/2"	NEW VAM	9,2lbs/ft	1,30	9,77	1 018,88
Př. M 4 1/2" x Č 3 1/2"	NEW VAM, J-55		0,58	10,35	1 017,58
Stupačka 4 1/2" č. 1	NEW VAM, J-55	12,6lbs/ft	9,46	19,81	1 017,00
2	NEW VAM, J-56		9,54	29,35	1 007,54
3	NEW VAM, J-55		9,56	38,91	998,00
4	NEW VAM, J-55		9,57	48,48	988,44
5	NEW VAM, J-55		9,50	57,98	978,87
6	NEW VAM, J-55		9,57	67,55	969,37
7	NEW VAM, J-55		9,56	77,11	959,80
8	NEW VAM, J-55		9,45	86,56	950,24
9	NEW VAM, J-55		9,56	96,12	940,79
10	NEW VAM, J-55		9,56	105,68	931,23
11	NEW VAM, J-55		9,55	115,23	921,67
12	NEW VAM, J-55		9,47	124,70	912,12
13	NEW VAM, J-55		9,51	134,21	902,65
14	NEW VAM, J-55		9,56	143,77	893,14
15	NEW VAM, J-55		9,56	153,33	883,58
16	NEW VAM, J-55		9,50	162,83	874,02
17	NEW VAM, J-55		8,88	171,71	864,52
18	NEW VAM, J-55		9,57	181,28	855,64
19	NEW VAM, J-55		9,49	190,77	846,07
20	NEW VAM, J-55		9,56	200,33	836,58
21	NEW VAM, J-55		9,64	209,97	827,02
22	NEW VAM, J-55		9,30	219,27	817,38
23	NEW VAM, J-55		9,48	228,75	808,08
24	NEW VAM, J-55		9,46	238,21	798,60
25	NEW VAM, J-55		9,47	247,68	789,14
26	NEW VAM, J-55		9,46	257,14	779,67
27	NEW VAM, J-55		9,58	266,72	770,21
28	NEW VAM, J-55		9,49	276,21	760,63
29	NEW VAM, J-55		9,46	285,67	751,14
30	NEW VAM, J-55		9,47	295,14	741,68
31	NEW VAM, J-55		9,50	304,64	732,21
32	NEW VAM, J-55		9,57	314,21	722,71
33	NEW VAM, J-55		9,48	323,69	713,14
34	NEW VAM, J-55		9,47	333,16	703,66
35	NEW VAM, J-55		9,48	342,64	694,19
36	NEW VAM, J-55		9,47	352,11	684,71
37	NEW VAM, J-55		9,46	361,57	675,24
38	NEW VAM, J-55		9,47	371,04	665,78
39	NEW VAM, J-55		9,49	380,53	656,31
40	NEW VAM, J-55		9,47	390,00	646,82
41	NEW VAM, J-55		9,57	399,57	637,35
42	NEW VAM, J-55		9,65	409,22	627,78

Dunajovice 40 - stupačková listina

Pořadové číslo stupačky	Typ závitu, materiál	Síla stěny	Délka stup	Délka kolony	Hloubka kolony
43	NEW VAM, J-55	9,56	418,78	618,13	
44	NEW VAM, J-55	9,57	428,35	608,57	
45	NEW VAM, J-55	9,46	437,81	599,00	
46	NEW VAM, J-55	9,42	447,23	589,54	
47	NEW VAM, J-55	9,47	456,70	580,12	
48	NEW VAM, J-55	9,46	466,16	570,65	
49	NEW VAM, J-55	9,47	475,63	561,19	
50	NEW VAM, J-55	9,48	485,11	551,72	
51	NEW VAM, J-55	9,46	494,57	542,24	
52	NEW VAM, J-55	9,56	504,13	532,78	
53	NEW VAM, J-55	9,47	513,60	523,22	
54	NEW VAM, J-55	9,47	523,07	513,75	
55	NEW VAM, J-55	9,46	532,53	504,28	
56	NEW VAM, J-55	9,47	542,00	494,82	
57	NEW VAM, J-55	9,46	551,46	485,35	
58	NEW VAM, J-55	9,56	561,02	475,89	
59	NEW VAM, J-55	9,56	570,58	466,33	
60	NEW VAM, J-55	9,56	580,14	456,77	
61	NEW VAM, J-55	9,55	589,69	447,21	
62	NEW VAM, J-55	9,55	599,24	437,66	
63	NEW VAM, J-55	9,56	608,80	428,11	
64	NEW VAM, J-55	9,48	618,28	418,55	
65	NEW VAM, J-55	9,47	627,75	409,07	
66	NEW VAM, J-55	9,46	637,21	399,60	
67	NEW VAM, J-55	9,47	646,68	390,14	
68	NEW VAM, J-55	9,48	656,16	380,67	
69	NEW VAM, J-55	9,56	665,72	371,19	
70	NEW VAM, J-55	9,46	675,18	361,63	
71	NEW VAM, J-55	9,57	684,75	352,17	
72	NEW VAM, J-55	9,57	694,32	342,60	
73	NEW VAM, J-55	9,55	703,87	333,03	
74	NEW VAM, J-55	9,57	713,44	323,48	
75	NEW VAM, J-55	9,55	722,99	313,91	
76	NEW VAM, J-55	9,56	732,55	304,36	
77	NEW VAM, J-55	9,55	742,10	294,80	
78	NEW VAM, J-55	9,56	751,66	285,25	
79	NEW VAM, J-55	9,52	761,18	275,69	
80	NEW VAM, J-55	9,56	770,74	266,17	
81	NEW VAM, J-55	8,66	779,40	256,61	
82	NEW VAM, J-55	9,57	788,97	247,95	
83	NEW VAM, J-55	9,55	798,52	238,38	
84	NEW VAM, J-55	9,57	808,09	228,83	
85	NEW VAM, J-55	9,56	817,65	219,26	
86	NEW VAM, J-55	9,57	827,22	209,70	
87	NEW VAM, J-55	9,41	836,63	200,13	
88	NEW VAM, J-55	9,56	846,19	190,72	
89	NEW VAM, J-55	9,57	855,76	181,16	
90	NEW VAM, J-55	9,56	865,32	171,59	
91	NEW VAM, J-55	9,41	874,73	162,03	
92	NEW VAM, J-55	9,57	884,30	152,62	
93	NEW VAM, J-55	9,58	893,88	143,05	
94	NEW VAM, J-55	9,51	903,39	133,47	
95	NEW VAM, J-55	9,19	912,58	123,96	
96	NEW VAM, J-55	9,5	922,08	114,77	

Dunajovice 40 - stupačková listina

Pořadové číslo stupačky	Typ závitu, materiál	Síla stěny	Délka stup	Délka kolony	Hloubka kolony
97	NEW VAM, J-55	9,5	931,58	105,27	
98	NEW VAM, J-55	9,58	941,16	95,77	
99	NEW VAM, J-55	9,57	950,73	86,19	
100	NEW VAM, J-55	9,57	960,30	76,62	
101	NEW VAM, J-55	9,58	969,88	67,05	
102	NEW VAM, J-55	9,56	979,44	57,47	
103	NEW VAM, J-55	9,58	989,02	47,91	
104	NEW VAM, J-55	9,58	998,60	38,33	
105	NEW VAM, J-55	9,56	1 008,16	28,75	
106	NEW VAM, J-55	9,47	1 017,63	19,19	
107	NEW VAM, J-55	9,46	1 027,09	9,72	
Př. Č 4 1/2" x Č 3 1/2"	VAGT	0,38	1 027,47	0,26	
Kužel závěsný M 3 1/2"	VAGT	0,28	1 027,75	-0,12	
Převýška SP PK nad ZP		-0,4	1 027,35	-0,40	

Lužice 7. 6. 2000
Zpracoval: Fifka Zd.