

Seznam páne v pořadí napouštění

Těžiště

kolony, Ø

na vrstvě

Poradí	Materiál druh	Síla stě- ny, mm	Závit	Délka pánie	CELKOVÁ délka kolony	Poznámka
				0,55		pa ta
	J-55	9,19	API d	5,40	5,95	konar
	J-55	9,19	"	1,00	6,95	perfektní
	J-55	9,19	"	5,03	11,98	perfektní
	J-55	9,19	"	7,15	21,13	perfektní
				0,60	21,73	vsazka
	J-55	9,19	"	2,39	24,12	páke 7" (3v/10m)
	J-55	9,19	"	11,63	35,75	přičet API x BNS
1				11,42	47,17	
2				7,55	56,72	
3				9,12	65,84	konar
4				10,22	76,06	
5				8,54	84,60	
6				10,90	95,50	
7				12,11	107,61	konar
8				12,05	119,66	
9				11,68	131,34	
10				12,29	143,63	konar
11				9,61	153,24	
12	1	9	9	12,11	165,35	
13				11,66	177,01	konar
14				11,95	188,96	
15				11,72	200,68	
16				11,67	212,35	konar
17				11,95	224,30	
18				11,87	236,17	
19				11,68	247,85	konar
20				11,39	259,24	
21				11,39	270,63	
22				11,09	281,72	konar
23				11,53	293,25	
24				11,66	304,91	
25				11,62	316,53	konar

HNS-470/3

Seznam pálnic v pořadí napouštění

Težební kolony, Ø 7" na vrstvě Du 190011E-58

Poradí	Materiál druh	Síla ořez- ny, mm	Závit	Délka pálnice	Celková délka kolony	Poznámka
26	J-55	9,19	BAS	11,37	327,90	
27				11,75	339,65	
28				12,05	351,70	konar
29				11,82	363,52	
30				11,77	375,29	
31				11,94	387,23	konar
32				11,46	398,69	
33				11,78	410,47	
34				11,83	422,30	konar
35				11,92	434,22	
36				11,88	446,10	
37				11,75	457,85	konar
38				11,89	469,74	
39				12,00	481,74	
40				11,75	493,49	konar
41	6	1	1	11,98	505,47	
42				11,89	517,36	
43				10,36	527,72	
44				11,27	539,99	konar
45				11,72	549,71	
46				11,57	562,28	
47				11,82	574,10	konar
48				10,69	584,79	
49				11,08	595,87	
50				8,76	604,83	konar
51				9,20	614,03	
52				8,29	622,32	
53				11,31	633,63	konar
54				11,67	645,30	
55				10,77	655,07	
56				11,91	667,98	konar
57				11,87	679,85	2x konar
58				11,73	691,58	2x konar

MM-47013

Seznam paží v pořadí napouštění

Těžební

kolony, 8

7⁴

na vrstvě

DUBŠTOVICE-58

Paží	Materiál druh	Síla stě- ny, mm	Závit	Délka paží	Celková délka kolony	Poznámka
59	J. 55	7,19	BDS	72,03	703,61	2x Lina
60				77,12	714,73	2x Lina
61				77,82	725,80	2x Lina
62				77,66	737,46	2x Lina
63				77,54	749,00	2x Lina
64				77,80	757,80	
65				77,72	777,52	Lina
66				77,64	783,16	
67				77,59	794,75	
68				77,77	807,52	Lina
69				77,86	819,38	
70				77,59	830,97	
71				77,65	842,62	Lina
72				77,76	854,38	
73				72,13	866,51	
74				77,91	878,42	Lina
75				77,80	880,22	
76				72,00	902,22	
77				77,70	913,92	Lina
78				77,92	925,84	
79				72,00	937,84	
80				77,70	949,54	Lina
81				77,84	961,38	Lina
82				77,82	973,20	
83				70,87	984,07	Lina
84				77,67	995,74	Lina
85				77,77	1007,51	
86				77,96	1019,47	
87				77,74	1031,21	Lina
88				77,69	1042,90	
89				72,70	1055,00	
90				77,84	1066,84	Lina
91				77,65	1078,49	

MH-470/3

