

SEZNAM PAŽNIC V POŘADÍ ZAPOČÍTÁNÍ

Těrabun

kolony

7"

na vrstvě

Dumajovice 32

① 6

pořadové číslo	materiál druh	síla stěny mm	délka pažnice	pod-šrub.	celková délka kolony	poznámka
Pala	-	-	0,51		0,51	
1	J-55	9,19	8,69		9,20	lower
2	-	-	0,62		4,88	
3	J-55	9,19	10,98		20,86	Škrabka 2x
4	"	"	11,50		32,36	Škrabka 2x
5	"	"	10,32		42,74	Škrabka 2x
6	"	"	8,51		51,25	lower + Škrabka 2x
7	"	"	10,62		61,87	Škrabka 2x
8	"	"	10,32		72,23	lower + Škrabka 2x
9	"	"	8,16		80,39	Škrabka 2x
10	"	"	11,62		91,99	lower + Škrabka 2x
11	"	"	8,51		100,50	Škrabka 2x
12	"	"	8,44		108,94	lower + Škrabka 2x
13	"	"	8,25		117,19	
14	"	"	8,48		125,67	
15	"	"	7,83		133,50	lower
16	"	"	8,50		142,00	
17	"	"	8,75		150,75	
18	"	"	8,57		159,32	lower
19	"	"	8,67		167,99	
20	"	"	8,56		176,55	
21	"	"	8,52		185,07	lower
22	"	"	8,84		193,91	
23	"	"	8,54		202,45	
24	"	"	8,28		210,73	lower
25	"	"	8,92		219,65	
26	"	"	8,68		228,33	lower
27	"	"	8,61		236,94	
28	"	"	8,69		245,63	
29	"	"	8,14		253,77	lower
30	"	"	8,72		262,49	
31	"	"	11,73		274,22	
32	"	"	10,72		284,94	lower

MND-2282

SEZNAM PAŽNIC V PORADÍ ZAPOČÍTÁNÍ

Těžba

kolony 6

7"

na vrtbě

Dumařovice 32

pořadové číslo	materiál druh	síla stěny mm	délka pažnice	pod- šrub.	celková délka kolony	poznámka
32	J-S5	9,19	9,30		294,24	
33	"	"	8,40		302,64	lower
34	"	"	8,67		311,31	
35	"	"	10,34		321,65	
36	"	"	9,06		330,71	lower
37	"	"	8,34		339,05	
38	"	"	8,45		347,50	
39	"	"	8,40		355,90	lower
40	"	"	10,36		366,26	
41	"	"	8,79		375,05	
42	"	"	10,38		385,43	lower
43	"	"	8,68		394,11	
44	"	"	8,62		402,73	lower
45	"	"	8,19		410,92	
46	"	"	10,34		421,26	
47	"	"	8,49		429,75	lower
48	"	"	11,24		440,99	
49	"	"	8,60		449,59	
50	"	"	8,79		458,38	lower
51	"	"	8,59		466,92	
52	"	"	8,72		475,64	
53	"	"	8,91		484,60	lower
54	"	"	8,80		493,40	
55	"	"	8,40		501,80	
56	"	"	11,65		513,45	
57	"	"	8,24		521,69	lower
58	"	"	8,42		530,11	
59	"	"	8,79		538,90	
60	"	"	8,09		546,99	lower
61	"	"	8,48		555,47	
62	"	"	8,53		564,00	
63	"	"	8,50		572,50	
64	"	"	7,96		580,46	lower

SEZNAM PAŽNÍČ V POŘADÍ ZAPOUSTĚNÍ

Těžba

kolony

7"

na vrábě

Dumjovce 32

3

pořadové číslo	materiál druh	síla stěny mm	délka pařnice	nedo-žrub. mm	celková délka kolony	posádka
65	J-55	9,19	8,71		589,17	
66	"	"	8,77		597,94	
67	"	"	8,76		606,70	lower
68	"	"	8,61		615,31	
69	"	"	8,43		623,74	
70	"	"	8,40		632,14	
71	"	"	8,38		640,52	lower
72	"	"	8,37		648,39	
73	"	"	8,32		657,21	
74	"	"	8,57		665,78	lower
75	"	"	8,77		674,55	
76	"	"	8,34		682,89	
77	"	"	8,47		691,36	
78	"	"	8,48		699,84	lower
79	"	"	8,45		708,29	
80	"	"	8,38		716,67	
81	"	"	8,49		725,16	lower
82	"	"	8,07		733,23	
83	"	"	8,59		741,82	
84	"	"	8,49		750,31	
85	"	"	8,48		758,79	lower
86	"	"	8,43		767,22	
87	"	"	8,70		775,92	
88	"	"	8,44		784,36	
89	"	"	8,45		792,81	lower
90	"	"	8,55		801,36	
91	"	"	8,78		810,14	
92	"	"	8,42		818,56	lower
93	"	"	8,71		827,27	
94	"	"	8,41		835,68	
95	"	"	8,44		844,12	
96	"	"	8,09		852,21	lower
97	"	"	8,40		860,61	

7022-2202

65

Dansjowa 32

7822-644

1412